

THE INDUSTRY'S FIRST CONTINUOUS DUTY FUEL TRANSFER PUMP

NX3200 SERIES PRODUCT OVERVIEW BROCHURE





NX3200 Series with nextec Intelligence™



- ✓ Continuous duty* -*Transfer fuel all day*
- ✓ 12 to 24V DC -Accepts a range of DC Power
- ✓ Intelligent Tones Indicate where attention is needed
- ✓ Lower amp draw Save battery power and pump life

- ✓ Lighter Great for mobile tanks, even aluminum
- ✓ Auto power down -After 20 minutes of inactivity
- ✓ Magnetic switch Smooth and field replaceable
- ✓ Removable power cord Convenient and safe
- ✓ Improved suction lift Variable speed motor adjusts to load
- ✓ High flow rates Fill larger tanks quickly.

Models & Specifications

nextec IntelligenceTM is an exclusive array of design advancements, technologies and user functionalities that take pump performance to unprecedented levels. Intelligent TonesTM inform when attention is needed. A variable speed motor automatically adjusts for peak performance with improved suction lift. More compact, lighter, and less amp draw—it sets a new standard for efficiency.

Flow Rate: 25 gpm / 95 lpm

Voltage: 12 to 24V DC **Amp draw:** 29 amps

Motor power: 1/3 HP

Inlet/Outlet: 1 1/4" - 1" (NPT or BSPP)

Mounting: 2" bung adapter (NPT or BSPT)

or foot mount adapter

Power Source: Removable 20' power cord (6 m CE certified for BSPP models)

Compatible fluids: Diesel, gasoline, biodiesel up to B20, E15, kerosene, mineral spirits









NX3204	N	connecting elbow, 2" bung adapter (NPT)
NX3205E	В	2" bung adapter (BSPT)
NX3204F	N	connecting elbow, foot mount
X3205FE	В	foot mount
NX3210B	N	18' hose, ultra high flow nozzle, connecting elbow, 2" bung adapter (NPT)

NX3210FB N 18' hose, ultra high flow nozzle, connecting elbow, foot mount

N - NPT threads B - BSPP threads



*Rated continuous duty for fuel transfer



NX3200-SB_Rev.4-3/18

TUTHILL US

8825 Aviation Drive Fort Wayne, IN 46809 (260) 747-7524 or (800) 634-2695

TUTHILL UK

Ilkeston, Derbyshire DE7 8YA UK +44 115 944 6774



